

Part A: Answer Only Questions

For Questions 1–13, only your final answer will be considered for marks. If applicable, write your final answers in the spaces provided.

1. [3 points] Consider the matrices

$$A = \begin{bmatrix} -1 & 2 \\ 4 & -2 \\ -4 & 6 \end{bmatrix}, \quad B = \begin{bmatrix} 0 & \frac{3}{2} \\ 1 & -1 \end{bmatrix}, \quad \text{and} \quad C = \begin{bmatrix} -2 & \frac{1}{3} \\ 0 & 1 \end{bmatrix}.$$

Compute BA^T and $B - 2C$.

Answer: $BA^T =$ _____, $B - 2C =$ _____

2. [2 points] Let $z = 1 + i$ and $w = 2 - i$. Write the complex numbers $(z + 2)\bar{w}$ and $\frac{z}{w}$ in the form $a + bi$ where a and b are real numbers.

Answer: $(z + 2)\bar{w} =$ _____, $\frac{z}{w} =$ _____

3. [2 points] Suppose A , B , and C are 3×4 matrices and $\vec{v} \in \mathbb{R}^4$ such that

$$C = 2A - B, \quad A\vec{v} = \begin{bmatrix} 3 \\ -5 \\ 2 \end{bmatrix}, \quad \text{and} \quad B\vec{v} = \begin{bmatrix} 2 \\ 0 \\ -3 \end{bmatrix}.$$

What is $C\vec{v}$?

Answer: $C\vec{v} =$ _____

4. [2 points] Let

$$A = \begin{bmatrix} 1+i & 3-i & -\frac{1}{2}+i & 4 \\ 0 & i & -\frac{1}{1+i} & -3 \\ 0 & 0 & \frac{1}{i} & -2 \\ 0 & 0 & 0 & -1 \end{bmatrix}.$$

Write down the eigenvalues of A^2 and their multiplicities.

5. [2 points] Let A , B , and C be 3×3 matrices such that $\det A = -1$, $\det B = \frac{1}{2}$, and $\det(2AB^TCA^{-2}) = 1$. Calculate $\det C$.

Answer: $\det C =$ _____

6. [3 points] Suppose n is an integer greater than or equal to two. For each condition below, write 'Y' if the condition implies that an $n \times n$ matrix A is invertible, and write 'N' if the condition does not imply that an $n \times n$ matrix A is invertible. You will receive 0.5 points for each correct answer, lose 0.5 points for each incorrect answer, and receive zero points for an answer left blank. You cannot receive a negative score on this question.

- ___ Every vector in \mathbb{R}^n can be written as a linear combination of columns of A .
- ___ The homogeneous linear system $A\vec{x} = \vec{0}$ has a solution $\vec{x} \neq \vec{0}$.
- ___ $\text{Nul } A = \mathbb{R}^n$.
- ___ $\text{rank } A = n$.
- ___ The characteristic equation of A is $\lambda^n - 2\lambda^{n-1} + 5$.
- ___ $\lambda = 1$ is an eigenvalue of A .

7. [3 points] For each statement below, write 'T' if the statement is true, and write 'F' if the statement is false. You will receive 0.5 points for each correct answer, lose 0.5 points for each incorrect answer, and receive zero points for an answer left blank. You cannot receive a negative score on this question.

- ___ If A is an $n \times n$ matrix with $\text{rank } A < n$, then the homogeneous system $A\vec{x} = \vec{0}$ is inconsistent.
- ___ Every elementary row operation leaves the determinant of every square matrix unchanged.
- ___ If the columns of a matrix A are linearly dependent, then the homogeneous system $A\vec{x} = \vec{0}$ has infinitely many solutions.
- ___ The scalar zero cannot be an eigenvalue of a matrix.
- ___ If A is a square matrix such that $\det A = 0$, then the rows of A are linearly dependent.
- ___ A matrix is invertible if and only if its determinant is nonzero.

8. [2 points] For each of the following subsets of \mathbb{R}^3 , write ‘Y’ if the set is a subspace of \mathbb{R}^3 and write ‘N’ if it is not. You will receive 0.5 points for each correct answer, lose 0.5 points for each incorrect answer, and receive zero points for an answer left blank. You cannot receive a negative score on this question.

_____ $\left\{ \begin{bmatrix} x \\ y \\ z \end{bmatrix} \mid x, y, z \in \mathbb{R} \text{ and } x - y + 2z = 0 \text{ and } x + 2y - z = 0 \right\}$

_____ $\left\{ \begin{bmatrix} t^2 \\ t^2 \\ t^2 \end{bmatrix} \mid t \in \mathbb{R} \right\}$

_____ $\left\{ \begin{bmatrix} x_1 \\ x_2 \\ x_3 \end{bmatrix} \mid \begin{bmatrix} 1 & 3 & 2 \\ 2 & 6 & 4 \\ 0 & 1 & -1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \end{bmatrix} = \begin{bmatrix} 6 \\ 12 \\ 0 \end{bmatrix} \right\}$

_____ $\left\{ \begin{bmatrix} a - 2b \\ a + c \\ 2b - 3c \end{bmatrix} \mid a, b, c \in \mathbb{R} \right\}$

9. [3 points] Suppose A is an 8×12 matrix and \vec{b} is a vector in \mathbb{R}^8 such that the equation $A\vec{x} = \vec{b}$ is inconsistent. For each statement below, write ‘T’ if the statement is true, and write ‘F’ if the statement is false. You will receive 0.5 points for each correct answer, lose 0.5 points for each incorrect answer, and receive zero points for an answer left blank. You cannot receive a negative score on this question.

_____ rank $A = 8$.

_____ rank(A) + dim Nul(A) = 12.

_____ \vec{b} does not belong to Col A .

_____ The homogeneous equation $A\vec{x} = \vec{0}$ is inconsistent.

_____ Nul $A \neq \{\vec{0}\}$.

_____ At least one row of A does not contain a pivot position.

Student # _____

MAT 1302B Final Exam

10. [2 points] Write down an eigenvector corresponding to the eigenvalue $\lambda = 1 + i$ for the matrix

$$A = \begin{bmatrix} i+1 & 1 \\ 0 & 2+i \end{bmatrix}.$$

Answer: An eigenvector is _____.

11. [2 points] Let A and B be $n \times n$ matrices such that A is invertible. Solve the matrix equation $(AX)^T + B - BA^T = 0$ for the matrix X .

Answer: $X =$ _____

12. [2 points] Suppose that $\begin{vmatrix} a_{1,1} & a_{1,2} & a_{1,3} \\ a_{2,1} & a_{2,2} & a_{2,3} \\ a_{3,1} & a_{3,2} & a_{3,3} \end{vmatrix} = -2$. Calculate the following determinant:

$$\begin{vmatrix} 2a_{1,1} & a_{1,2} & a_{1,1} + a_{1,2} + a_{1,3} \\ 2a_{2,1} & a_{2,2} & a_{2,1} + a_{2,2} + a_{2,3} \\ 2a_{3,1} & a_{3,2} & a_{3,1} + a_{3,2} + a_{3,3} \end{vmatrix}.$$

Answer: The determinant is _____.

13. [2 points] Suppose

$$A = \begin{bmatrix} 2 & -4 & 5 & 0 & 7 & 6 & -1 \\ 0 & -3 & -8 & 2 & 1 & 6 & -3 \\ 0 & 0 & 0 & 0 & -4 & 1 & 2 \end{bmatrix}$$

and

$$W = \{\vec{x} \in \mathbb{R}^7 \mid A\vec{x} = \vec{0}\}.$$

What is the dimension of W ?

Answer: $\dim W =$ _____

Part B: Long Answer Questions

For Questions 14–21, you must show your work and justify your answers to receive full marks. Partial marks may be awarded for making sufficient progress towards a solution.

14.

(a) [3 pts] Consider the vectors

$$\vec{u} = \begin{bmatrix} 0 \\ -1 \\ 1 \end{bmatrix}, \quad \vec{v} = \begin{bmatrix} 0 \\ -2 \\ 2 \end{bmatrix}, \quad \vec{w} = \begin{bmatrix} 5 \\ 3 \\ 0 \end{bmatrix}.$$

Find the general solution to the vector equation

$$x_1\vec{u} + x_2\vec{v} + x_3\vec{w} = \vec{0}.$$

Write your answer in vector parametric form.

(b) [1 pt] Notice that

$$\vec{u} + \vec{v} - \vec{w} = \begin{bmatrix} -5 \\ -6 \\ 3 \end{bmatrix}.$$

Without performing any row reduction, find the general solution to the vector equation

$$x_1\vec{u} + x_2\vec{v} + x_3\vec{w} = \begin{bmatrix} -5 \\ -6 \\ 3 \end{bmatrix}.$$

Student # _____

MAT 1302B Final Exam

15. [5 pts] Calculate the determinant of

$$M = \begin{bmatrix} 3 & 1 & 2 & 2 \\ -2 & 0 & 1 & 1 \\ 5 & 4 & -3 & -3 \\ 10 & -8 & 2 & 1 \end{bmatrix}.$$

Hint: Is there a row or column operation that you can perform to simplify the computation?

Student # _____

MAT 1302B Final Exam

16. Consider the matrix $B = \begin{bmatrix} 3 & 1 & -2 \\ 0 & 3 & 0 \\ 0 & 1 & 1 \end{bmatrix}$.

(a) [**3 pts**] Find the eigenvalues of B .

(b) [**4 pts**] For each of the eigenvalues of B found in part (a), find a basis of the corresponding eigenspace. (There is additional space for answering this part on the next page.)

Student # _____

MAT 1302B Final Exam

(Extra space for part (b).)

- (c) [**2 pts**] Find an invertible matrix P and a diagonal matrix D such that $B = PDP^{-1}$.
You do *not* need to calculate P^{-1} .

17. In the city of Autoville, there are only two car insurance companies: *Iguana Insurance* and *Camel Coverage*. Initially, each company insures half of the city's drivers. Each year, 20% of Iguana Insurance's customers switch to Camel Coverage and 30% of Camel Coverage's customers switch to Iguana Insurance.

- (a) [**1 pt**] Write down the migration matrix M and the initial state vector \vec{x}_0 for this problem.
- (b) [**4 pts**] Find the steady-state vector. In the long term, what fraction of the drivers does each company insure? Remember to justify your answer (i.e. explain *why* the steady state vector describes the long term behaviour).

Student # _____

MAT 1302B Final Exam

18. Consider the matrix

$$A = \begin{bmatrix} 1 & 2 & 3 & 1 & 2 \\ 2 & 4 & 4 & 8 & 8 \\ 0 & 0 & 0 & 2 & 1 \\ 0 & 0 & -1 & 1 & 1 \end{bmatrix}.$$

(a) [**3 points**] Find a basis for $\text{Col } A$.

(b) [**2 points**] What are $\text{rank } A$ and $\dim \text{Nul } A$?

Student # _____

MAT 1302B Final Exam

19. Let

$$A = \begin{bmatrix} 1 & 5 & 2 \\ 1 & 4 & 2 \\ 1 & 8 & 3 \end{bmatrix}.$$

(a) [4 points] Is A invertible? If so, find its inverse.

(b) [2 points] Let

$$C = \begin{bmatrix} 1 & 0 & 1 \\ 0 & 1 & -1 \\ 1 & 2 & 0 \end{bmatrix}.$$

Find a matrix B such that $BA = C$.

20. [6 points] Consider the vectors

$$\vec{v}_1 = \begin{bmatrix} 1 \\ 2 \\ 0 \\ 0 \end{bmatrix}, \quad \vec{v}_2 = \begin{bmatrix} 3 \\ 7 \\ 0 \\ 0 \end{bmatrix}, \quad \vec{v}_3 = \begin{bmatrix} 0 \\ 5 \\ 1 \\ -1 \end{bmatrix}, \quad \vec{v}_4 = \begin{bmatrix} 0 \\ 2 \\ 2 \\ -2 \end{bmatrix}.$$

Are the vectors \vec{v}_1 , \vec{v}_2 , \vec{v}_3 , and \vec{v}_4 linearly independent? If not, find a linear dependence relation.

21. An economy consists of two sectors: agriculture and mining. In order to produce one unit, the agriculture sector consumes 0.2 units from the agriculture sector and 0.6 units from the mining sector. In addition, in order to produce one unit, the mining sector consumes 0.2 units from the agriculture sector and 0.6 units from the mining sector.

- (a) [**1 point**] Write the consumption matrix for this economy.
- (b) [**1 point**] Write the Leontief Input-Output Model production equation.
- (c) [**3 points**] Determine the production levels needed to satisfy a final demand of 8 units from the agriculture sector and 5 units from the mining sector.

Student # _____

MAT 1302B Final Exam

Extra page for answers.

Student # _____

MAT 1302B Final Exam

This page is intentionally left blank. You may use it as scrap paper.